

AS/NZS 4505:2012
Incorporating Amendment No. 1



Australian/New Zealand Standard

Garage doors and other large access doors

Superseding AS/NZS 4505:1998

AS/NZS 4505:2012



This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee BD-014, Metal Cladding. It was approved on behalf of the Council of Standards Australia on 19 December 2012 and on behalf of the Council of Standards New Zealand on 23 January 2013.

This Standard was published on 6 February 2013.

Note: This joint AS/NZS 4505:2013 was published on 6 February 2013, however, for consistency with referencing in legislation, it is to be referenced as AS/NZS 4505:2012.

The following are represented on Committee BD-036:

Australian Building Codes Board
Australian Garage Door Association
Australian Steel Institute
BRANZ
Building Officials Institute of New Zealand
Consult Australia
Curtin University of Technology
Cyclone Testing Station
Housing Industry Association
New Zealand Metal Roofing Manufacturers
Queensland University of Technology

Keeping standards up to date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4505.

Australian/New Zealand Standard

Garage doors and other large access doors

Originated in part as AS/NZS 4505:1998 and AS/NZS 4504, Parts 0 to 3 (1998).
Jointly revised, amalgamated and designated as AS/NZS 4505:2012.
Reissued incorporating Amendment No. 1 (August 2015).

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN (PRINT) 978-1-77551-980-5

ISBN (PDF) 978-1-77551-981-2

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee BD-014, Metal Cladding, to supersede AS/NZS 4505:1998, *Domestic garage doors* and AS/NZS 4504, Parts 0 to 3 (1998), *Domestic garage doors—Methods of test*.

This Standard incorporates Amendment No. 1 (August 2015). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

A1 | *Amendment No. 1 removes the height limitation on general purpose doors. The types of doors that the Standard is intended to cover are defined in Clause 4.5. Some large, purpose-built doors, such as aircraft hangar doors, may differ to those described in Clause 4.5 and may require an alternative design approach.*

The objective of this Standard is to provide specifications covering the construction and performance criteria of large access doors including garage doors. It addresses minimum performance requirements for structural loads as well as manufacturing and installation issues.

This Standard now incorporates the test methods that previously comprised the AS/NZS 4504 series.

The Standard specifies information to be provided for designers of buildings on the loads that the doors apply to the buildings.

This Standard is written with reference to the wind classification systems embodied in AS/NZS 1170.2, *Structural design actions*, Part 2: *Wind actions*, AS 4055, *Wind loads for housing* and NZS 3604, *Timber framed buildings*, and it is bound by the limitations of these Standards, as applicable.

For Class 2 to Class 9 buildings as defined in the NCC, doors are rated according to pressures which enable them to be used with buildings designed using AS/NZS 1170.2.

For Class 1 and Class 10 buildings as defined in the NCC, doors are rated according to wind classifications in AS 4055 and are compatible with buildings designed using either AS 4055 or AS/NZS 1170.2.

In New Zealand, doors are rated according to the wind zones in NZS 3604 and are compatible with buildings designed using NZS 3604 or AS/NZS 1170.2.

The terms ‘normative’ and ‘informative’ have been used in the Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of the Standard, whereas an ‘informative’ appendix is only for information and guidance.

This document includes commentary on some of the clauses of the Standard. The commentary directly follows the relevant clause, is designated by ‘C’ preceding the clause number and is printed in italics in a box. The commentary is for information and guidance and does not form part of the Standard.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 APPLICATION.....	4
3 NORMATIVE REFERENCES	4
4 DEFINITIONS	5
5 CLASSIFICATION AND RATING.....	12
6 DOOR COMPONENTS.....	15
7 TESTING.....	16
8 MARKING	18
 BIBLIOGRAPHY	 43
 APPENDICES	
A ULTIMATE WIND PRESSURE TEST.....	19
B WIND-BORNE DEBRIS IMPACT RATING.....	26
C DOOR CLASSIFICATION TEST	29
D SAFETY PROVISIONS FOR DOOR MECHANISMS	34
E FORCES ON SUPPORTING STRUCTURES FOR DOORS WITH WIND LOCKS	35
F COMMENTARY ON ULTIMATE WIND PRESSURE RATINGS	37
G DESIGN, INSTALLATION AND OPERATION INFORMATION.....	42

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Garage doors and other large access doors

1 SCOPE

A1

This Standard specifies requirements for the design, construction, and installation of garage doors and other large access doors in external walls of buildings.

This Standard covers domestic doors for openings up to three metres in height and general purpose doors for openings of any height.

This Standard includes provisions to evaluate actions transferred from the doors to the supporting structure or building.

The Standard includes the following:

- (a) Door classification.
- (b) Ultimate wind pressure rating.

Where a building design includes a requirement for a wind-borne debris impact rating, Appendix B sets out a procedure for wind debris impact rating for doors.

NOTES:

- 1 For Class 2 to 9 buildings, as defined in the NCC, ultimate wind pressure ratings for doors are compatible with pressures from AS/NZS 1170.2.
- 2 For Class 1 and Class 10 buildings, as defined in the NCC, ultimate wind pressure ratings for doors can be compatible with either AS 4055 or AS/NZS 1170.2.

2 APPLICATION

In order to claim (in any way, be it written, verbal or otherwise) compliance with this Standard, conformance with all the requirements contained herein is mandatory.

3 NORMATIVE REFERENCES

The following are the normative documents referenced in this Standard.

NOTE: Documents referenced for informative purposes are listed in the Bibliography.

AS	
4055	Wind loads for housing
AS/NZS	
1170	Structural design actions
1170.2	Part 2: Wind actions
NZS	
3604	Timber framed buildings
ABCB	
NCC	National Construction Code



AS/NZS 4505:2012 Garage doors and other large access doors

This is a free sample only.

Purchase the full publication here:

<https://shop.standards.govt.nz/catalog/4505%3A2012%28AS%7CNZS%29/view>

Or contact Standards New Zealand using one of the following methods.

Freephone: 0800 782 632 (New Zealand)

Phone: +64 3 943 4259

Email: enquiries@standards.govt.nz